


▶ Feed direction
 $w = 8 \text{ mm}$
 $p = 12 \text{ mm}$
 $c = 4 \text{ mm}$
 Open area: 44.44%



Material (desired formats also available in powder-coated finish)	Material thickness in mm	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00	500851	100064	100144	155119	4.4
	1.50	501715	100065	100145	100163	6.5
	2.00	502474	100066	100146	100164	8.7
Pre-galvanised DX51D						
	1.00	500753	100224	155120	155121	4.4
	1.50	501616	100390	100432	155122	6.5
	2.00	502387	100347	101604	155124	8.7
Aluminium EN AW-1050A H24						
	1.00	500279	155147	155148	155149	1.5
	1.50 ^M	500957	100177	155150	155151	2.3
	2.00	501813	100178	100358	101313	3.0
// PVC coated on one side						
	1.50	501051	155152	155153		2.3
	2.00	501906	155154	155155	155156	3.0
EN AW-5005 H24 EQ, PVC 1 side	1.50	501135	155165			2.3
// PVC coated on both sides	2.00	501970	156489			3.0
// pre-anodised 2 sides E6/CO, PVC 1 side	2.00	502041	155174	155175	155176	3.0
EN AW-5754 H22						
	1.00	500364	155157	155158	155159	1.5
	1.50	501192	155160	155161		2.3
	2.00	502096	155163	155164		3.0
Stainless steel X5CrNi18-10 2B AISI 304						
	1.00	500515	100372	155125	155126	4.4
	1.50	501353	100004	100337	154576	6.5
	2.00	502206	101431	155131	155132	8.7
// polished 1 side grain 240, PVC 1 side						
	1.00	500590	155127			4.4
	1.50	501465	155128	155129	155130	6.5
	2.00	502272	155133			8.7
X2CrNiMo17-12-2 2B AISI 316 L						
	1.00	500440	155136			4.4
	1.50	501268	155137		155139	6.5
	2.00	502148	155140			8.7
X6CrNiMoTi17-12 2B AISI 316 Ti						
	1.00	500661	155141	155142		4.4
	1.50	501523	155143	155144	155145	6.5
	2.00	502319	155146			8.7

